



Netstor NS750S/NS760S 4 / 8 bays Desktop Storage

Quick Installation Guide

Second Edition, July 2007

1. Overview

Netstor 4/ 8 bays SAS/SATA desktop storage solution provides a best performance and most easy way to expand external storage capacity through the high bandwidth Multi-Lane interface architecture. With the IPC-grade Power Supply and No-noise cooling design allows Studio usage in long period Video/Audio Editing and close-proximity application.

NS750S & NS760S built-in SAS/SATA compatible backplane that allows users choose on low cost SATA or high reliable SAS Hard Drives while build-in their system.

The product line includes the following modes:

- **NS750S 4 bays SAS/SATA Desktop Storage**
- **NS760S 8 bays SAS/SATA Desktop Storage**

2. Package Checklist

Before installing the NA750B/NA760B, verify that package contains the following items.

NS750S

- Enclosure x 1
- HDD Tray x 4
- Power Cord x 1
- Manual CD x 1
- Hard Drive Mounting Screw x 16
- Key for HDD tray x 2

NS760S

- Enclosure x 1
- HDD Tray x 8
- Power Cord x 1
- Manual CD x 1
- Hard Drive Mounting Screw x 32
- Key for HDD tray x 2

Notify your sales representative if any of the above items are missing or damaged.

3. Product Description

Panel Layout



NS750S




NS760S

NS750S/NS760S:

1. Power LED
2. Fan LED
Normal – Green;
Fail – Red (too slow rpm or stop)
3. Temperature LED
(normal – Green;
Over 55°C – Red)
4. Mute button for stopping Fan stop or Temp. abnormal high buzzer alarm


4. Product Connection

• NS750S



1. Multilane Connector –
Connecting the end of Multilane (SFF8470)
cable here and another end to Host
Controller.

• NS760S



1. Multilane Connector –
Connecting the end of Multilane (SFF8470)
Cable here and another end to Host Controller
Channel 1~4.
2. Multilane Connector –
Connecting the end of Multilane(SFF8470)
cable here and another end to Host Controller
Channel 5~8.